


Velux Custom Flashing

Utilizing Nature's Gift.®





Custom Skylight Flashings are used to install Velux Flat Roof Skylights when the roof pitch is above 5°. Velux Flat Roof Skylights do not come with any flashings so a custom flashing is needed so it can be installed. Skyspan Custom Skylight Flashings are used to install Velux Pitched Skylights onto Tile, Corrugated, Metaldeck and Concrete Roofs. Included with the Flashing is a Timber hob for the FCM to be mounted to and the plasterboard shaft to be fixed to. The Flashings come in 3 different options:

- 1. 0.75mm Zincalume Mill Finish or Powder Coated (Spot welded & silicon joined)
- 2. 0.55mm Colorbond One Piece Flashing (Riveted & silicon joined)
- 3. 0.55mm Colorbond Flat Pack Flashing (Riveted & silicon joined)



The Skyspan Velux Skylight Flashing is manufactured to comply with the Australian Standards and is covered by a **seven (7) year guarantee**.

VELUX MODELS COMPATIBLE



FCM Fixed Non-Opening




VCMManual Opening




VCSSolar Opening
















Roof pitch range:



SIZES

All Velux Pitch Skylight sizes.

MANUFACTURE

Zincalume®

STANDARD MATERIALS

0.75mm Zincalume®, steel spot welded for superior strength.

STANDARD FINISH Mill

Stainless Steel Galvanised

CUSTOM MATERIAL OPTIONS

CUSTOM FINISH

Powder coated to match Colorbond colour range. See pg. 22

Aluminium

Copper

Colorbond® & Colorbond® Ultra

STANDARD MATERIALS

See options on page 23 0.55mm Colorbond

Standard orientation is portrait (up the roof), not landscape (across the roof). Landscape orientation is available for additional charge—use additional code LOS.



TECHNICAL DRAWINGS



INSTALLATION INSTRUCTIONS



BUY ONLINE

Velux Flat Roof Skylight Flashing

Stock Sizes Ships in 1-2 Business Days (Add 2 Days for Powder Coating)

For Roof Pitch 5°+

Velux Size Code	Roof Type	Zincalume	Colorbond One Piece	Colorbond Flat Pack
	Metal Deck	V1430TFAU	V1430TFAU-CBOP	V1430TFAU-CBFP
1430 (460x870mm)	Corrugated	V1430TFCT	V1430TFCT-CB0P	V1430TFCT-CBFP
	Tile	V1430TFTU	V1430TFTU-CB0P	V1430TFTU-CBFP
	Metal Deck	V2222TFAU	V2222TFAU-CBOP	V2222TFAU-CBFP
2222 (665x665mm)	Corrugated	V2222TFCT	V2222TFCT-CBOP	V2222TFCT-CBFP
	Tile	V2222TFTU	V2222TFTU-CBOP	V2222TFTU-CBFP
	Metal Deck	V2230TFAU	V2230TFAU-CBOP	V2230TFAU-CBFP
2230 (665x870mm)	Corrugated	V2230TFCT	V2230TFCT-CB0P	V2230TFCT-CBFP
	Tile	V2230TFTU	V2230TFTU-CB0P	V2230TFTU-CBFP
	Metal Deck	V2234TFAU	V2234TFAU-CBOP	V2234TFAU-CBFP
2234 (665x970mm)	Corrugated	V2234TFCT	V2234TFCT-CBOP	V2234TFCT-CBFP
	Tile	V2234TFTU	V2234TFTU-CB0P	V2234TFTU-CBFP
	Metal Deck	V2246TFAU	V2246TFAU-CBOP	V2246TFAU-CBFP
2246 (665x1275mm)	Corrugated	V2246TFCT	V2246TFCT-CBOP	V2246TFCT-CBFP
	Tile	V2246TFTU	V2246TFTU-CBOP	V2246TFTU-CBFP
	Metal Deck	V2270TFAU	V2270TFAU-CBOP	V2270TFAU-CBFP
2270 (665x1885mm)	Corrugated	V2270TFCT	V2270TFCT-CBOP	V2270TFCT-CBFP
	Tile	V2270TFTU	V2270TFTU-CB0P	V2270TFTU-CBFP
	Metal Deck	V3030TFAU	V3030TFAU-CBOP	V3030TFAU-CBFP
3030 (870x870mm)	Corrugated	V3030TFCT	V3030TFCT-CB0P	V3030TFCT-CBFP
	Tile	V3030TFTU	V3030TFTU-CB0P	V3030TFTU-CBFP
	Metal Deck	V3046TFAU	V3046TFAU-CBOP	V3046TFAU-CBFP
3046 (870x1275mm)	Corrugated	V3046TFCT	V3046TFCT-CBOP	V3046TFCT-CBFP
	Tile	V3046TFTU	V3046TFTU-CBOP	V3046TFTU-CBFP
	Metal Deck	V3055TFAU	V3055TFAU-CBOP	V3055TFAU-CBFP
3055 (870x1505mm)	Corrugated	V3055TFCT	V3055TFCT-CBOP	V3055TFCT-CBFP
	Tile	V3055TFTU	V3055TFTU-CBOP	V3055TFTU-CBFP
	Metal Deck	V3434TFAU	V3434TFAU-CBOP	V3434TFAU-CBFP
3434 (970x970mm)	Corrugated	V3434TFCT	V3434TFCT-CBOP	V3434TFCT-CBFP
	Tile	V3434TFTU	V3434TFTU-CBOP	V3434TFTU-CBFP
	Metal Deck	V3446TFAU	V3446TFAU-CBOP	V3446TFAU-CBFP
3446 (970x1275mm)	Corrugated	V3446TFCT	V3446TFCT-CBOP	V3446TFCT-CBFP
	Tile	V3446TFTU	V3446TFTU-CBOP	V3446TFTU-CBFP
	Metal Deck	V4646TFAU	V4646TFAU-CBOP	V4646TFAU-CBFP
4646 (1275x1275mm)	Corrugated	V4646TFCT	V4646TFCT-CBOP	V4646TFCT-CBFP
	Tile	V4646TFTU	V4646TFTU-CBOP	V4646TFTU-CBFP






Velux Flat Roof Skylight Flashing

Common Sizes Ships in 3-5 Business Days (Add 2 Days for Powder Coating)

For Roof Pitch 5°+

Velux Size Code	Roof Type	Zincalume	Colorbond One Piece	Colorbond Flat Pack
	Metal Deck	V3072TFAU	V3072TFAU-CBOP	V3072TFAU-CBFP
3072 (870 x 1935mm)	Corrugated	V3072TFCT	V3072TFCT-CB0P	V3072TFCT-CBFP
	Tile	V3072TFTU	V3072TFTU-CB0P	V3072TFTU-CBFP
	Metal Deck	V4622TFAU	V4622TFAU-CBOP	V4622TFAU-CBFP
4622 (1275x665mm)	Corrugated	V4622TFCT	V4622TFCT-CBOP	V4622TFCT-CBFP
	Tile	V4622TFTU	V4622TFTU-CBOP	V4622TFTU-CBFP
4672 (1275x1935mm)	Metal Deck	V4672TFAU	V4672TFAU-CBOP	V4672TFAU-CBFP
	Corrugated	V4672TFCT	V4672TFCT-CBOP	V4672TFCT-CBFP
	Tile	V4672TFTU	V4672TFTU-CBOP	V4672TFTU-CBFP



PITCH ADAPTOR FOR ROOF PITCH - BELOW 5°

Custom Skylight Flashings are used to install Velux Flat Roof Skylights when the roof pitch is below 5°. Velux Flat Roof Skylights won't leak below 5°, however Velux recommends they are pitched with a slight pitch to prevent condensation build up and water ponding. Velux Flat Roof Skylights do not come with any flashings so a custom flashing is needed so it can be installed. Skyspan Custom Skylight Flashings are used to install Velux Flat Roof Skylights onto Corrugated, Metaldeck and Concrete Roofs. Included with the Flashing is a Timber hob for the FCM to be mounted to and the plasterboard shaft to be fixed to.

VELUX MODELS COMPATIBLE



FCM Fixed Non-Opening



Manual Opening




Solar Opening



The Skyspan Velux Skylight Flashing is manufactured to comply with the Australian Standards and is covered by a **seven (7) year guarantee**.









Roof pitch range:

MANUFACTURE

Zincalume®

STANDARD MATERIALS

0.75mm Zincalume®, steel spot welded for superior strength.

STANDARD FINISH

Mill

CUSTOM MATERIAL OPTIONS










Galvanised CUSTOM FINISH

Powder coated to match Colorbond colour range. See pg. 22







INSTALLATION INSTRUCTIONS

Colorbond® & Colorbond® Ultra

FINISH STANDARD MATERIALS

See options on page 23 0.55mm Colorbond

Standard orientation is portrait (up the roof), not landscape (across the roof). Landscape orientation is available for additional charge—use additional code LOS.



BUY ONLINE

Velux Flat Roof Skylight Flashing

Common Sizes Ships in 3-5 Business Days (Add 2 Days for Powder Coating)

Pitch Adaptor for Roof Pitch Below 5°

Velux Size Code	Roof Type	Zincalume	Colorbond One Piece	Colorbond Flat Pack
	Corrugated	V5-1430PACT	V5-1430PACT-CB0P	V5-1430PACT-CBFP
1430 (460 x 870mm)	Hob Mount	V5-1430PAHB	V5-1430PAHB-CB0P	V5-1430PAHB-CBFP
	Metal Deck	V5-1430PAAU	V5-1430PAAU-CBOP	V5-1430PAAU-CBFP
	Corrugated	V5-2222PACT	V5-2222PACT-CBOP	V5-2222PACT-CBFP
2222 (665 x 665mm)	Hob Mount	V5-2222PAHB	V5-2222PAHB-CBOP	V5-2222PAHB-CBFP
	Metal Deck	V5-2222PAAU	V5-2222PAAU-CBOP	V5-2222PAAU-CBFP
	Corrugated	V5-2230PACT	V5-2230PACT-CB0P	V5-2230PACT-CBFP
2230 (665 x 870mm)	Hob Mount	V5-2230PAHB	V5-2230PAHB-CB0P	V5-2230PAHB-CBFP
	Metal Deck	V5-2230PAAU	V5-2230PAAU-CBOP	V5-2230PAAU-CBFP
	Corrugated	V5-2234PACT	V5-2234PACT-CBOP	V5-2234PACT-CBFP
2234 (665 x 970mm)	Hob Mount	V5-2234PAHB	V5-2234PAHB-CB0P	V5-2234PAHB-CBFP
	Metal Deck	V5-2234PAAU	V5-2234PAAU-CBOP	V5-2234PAAU-CBFP
	Corrugated	V5-2246PACT	V5-2246PACT-CBOP	V5-2246PACT-CBFP
2246 (665 x 1275mm)	Hob Mount	V5-2246PAHB	V5-2246PAHB-CB0P	V5-2246PAHB-CBFP
	Metal Deck	V5-2246PAAU	V5-2246PAAU-CBOP	V5-2246PAAU-CBFP
	Corrugated	V5-2270PACT	V5-2270PACT-CBOP	V5-2270PACT-CBFP
2270 (665 x 1885mm)	Hob Mount	V5-2270PAHB	V5-2270PAHB-CB0P	V5-2270PAHB-CBFP
	Metal Deck	V5-2270PAAU	V5-2270PAAU-CBOP	V5-2270PAAU-CBFP
	Corrugated	V5-3030PACT	V5-3030PACT-CB0P	V5-3030PACT-CBFP
3030 (870 x 870mm)	Hob Mount	V5-3030PAHB	V5-3030PAHB-CB0P	V5-3030PAHB-CBFP
	Metal Deck	V5-3030PAAU	V5-3030PAAU-CBOP	V5-3030PAAU-CBFP
	Corrugated	V5-3046PACT	V5-3046PACT-CBOP	V5-3046PACT-CBFP
3046 (870 x 1275mm)	Hob Mount	V5-3046PAHB	V5-3046PAHB-CBOP	V5-3046PAHB-CBFP
	Metal Deck	V5-3046PAAU	V5-3046PAAU-CBOP	V5-3046PAAU-CBFP
	Corrugated	V5-3055TFCT	V5-3055TFCT-CB0P	V5-3055TFCT-CBFP
3055 (870x1505mm)	Hob Mount	V5-3055TFHB	V5-3055TFHB-CBOP	V5-3055TFHB-CBFP
	Metal Deck	V5-3055TFAU	V5-3055TFAU-CBOP	V5-3055TFAU-CBFP






Velux Pitched Roof Skylight Flashing

Common Sizes Ships in 3-5 Business Days (Add 2 Days for Powder Coating)

Pitch Adaptor for Roof Pitch Below 5°

Velux Size Code	Roof Type	Zincalume	Colorbond One Piece	Colorbond Flat Pack
	Corrugated	V5-3072TFCT	V5-3072TFCT-CB0P	V5-3072TFCT-CBFP
3072 (870x1505mm)	Hob Mount	V5-3072TFHB	V5-3072TFHB-CBOP	V5-3072TFHB-CBFP
	Metal Deck	V5-3072TFAU	V5-3072TFAU-CBOP	V5-3072TFAU-CBFP
	Corrugated	V5-3434PACT	V5-3434PACT-CBOP	V5-3434PACT-CBFP
3434 (970 x 970mm)	Hob Mount	V5-3434PAHB	V5-3434PAHB-CBOP	V5-3434PAHB-CBFP
	Metal Deck	V5-3434PAAU	V5-3434PAAU-CBOP	V5-3434PAAU-CBFP
	Corrugated	V5-3446PACT	V5-3446PACT-CBOP	V5-3446PACT-CBFP
3446 (970 x 1275mm)	Hob Mount	V5-3446PAHB	V5-3446PAHB-CBOP	V5-3446PAHB-CBFP
	Metal Deck	V5-3446PAAU	V5-3446PAAU-CBOP	V5-3446PAAU-CBFP
	Corrugated	V5-4622TFCT	V5-4622TFCT-CBOP	V5-4622TFCT-CBFP
4622 (1275x665mm)	Hob Mount	V5-4622TFHB	V5-4622TFHB-CBOP	V5-4622TFHB-CBFP
	Metal Deck	V5-4622TFAU	V5-4622TFAU-CBOP	V5-4622TFAU-CBFP
	Corrugated	V5-4646PACT	V5-4646PACT-CBOP	V5-4646PACT-CBFP
4646 (1275 x 1275mm)	Hob Mount	V5-4646PAHB	V5-4646PAHB-CBOP	V5-4646PAHB-CBFP
	Metal Deck	V5-4646PAAU	V5-4646PAAU-CBOP	V5-4646PAAU-CBFP
	Corrugated	V5-4672TFCT	V5-4672TFCT-CBOP	V5-4672TFCT-CBFP
4672 (1275x1935mm)	Hob Mount	V5-4672TFHB	V5-4672TFHB-CBOP	V5-4672TFHB-CBFP
	Metal Deck	V5-4672TFAU	V5-4672TFAU-CBOP	V5-4672TFAU-CBFP



FOR ROOF PITCH - ABOVE 15°

Custom Skylight Flashings are used to install Velux Pitch Skylights when the roof pitch is above 15°. The standard Velux Flashing is designed only to suit a Tile Roof. Skyspan Custom Skylight Flashings are used to install Velux Pitched Skylights onto Corrugated and Metaldeck Roofs.



The Skyspan Velux Skylight Flashing is manufactured to comply with the Australian Standards and is covered by a seven (7) year guarantee.

VELUX MODELS COMPATIBLE



Fixed Non-Opening



Manual Opening



VSE Electric Opening



VSS Solar Opening














Roof pitch range:



MANUFACTURE

Zincalume®

STANDARD MATERIALS

 $0.75 mm \ Zincalume^{@}, \ steel \ spot$ welded for superior strength.

STANDARD FINISH

Mill

CUSTOM MATERIAL OPTIONS

Stainless Steel Galvanised

Aluminium

Powder coated to match Colorbond colour range. See pg. 22

Copper



INSTRUCTIONS

Colorbond® & Colorbond® Ultra

STANDARD MATERIALS

See options on page 23 0.55mm Colorbond

Standard orientation is portrait (up the roof), not landscape (across the roof). Landscape orientation is available for additional charge—use additional code LOS.

FINISH



BUY ONLINE

11.

Velux Pitched Roof Skylight Flashing

Stock Sizes Ships in 1-2 Business Days (Add 2 Days for Powder Coating)

For Roof Pitch 15°+

Velux Size Code	Roof Type	Zincalume	Colorbond One Piece	Colorbond Flat Pack
001 (FF0:/700::)	Metal Deck	V5570FAU	V5570FAU-CB0P	V5570FAU-CBFP
C01 (550x700mm)	Corrugated	V5570FCT	V5570FCT-CB0P	V5570FCT-CBFP
C04 (550x980mm)	Metal Deck	V5598FAU	V5598FAU-CBOP	V5598FAU-CBFP
C04 (330X960IIIII)	Corrugated	V5598FCT	V5598FCT-CBOP	V5598FCT-CBFP
COC (FEOv1190mm)	Metal Deck	V55118FAU	V55118FAU-CBOP	V55118FAU-CBFP
C06 (550x1180mm)	Corrugated	V55118FCT	V55118FCT-CBOP	V55118FCT-CBFP
C08 (550x1400mm)	Metal Deck	V55140FAU	V55140FAU-CBOP	V55140FAU-CBFP
C06 (550x1400IIIII)	Corrugated	V55140FCT	V55140FCT-CB0P	V55140FCT-CBFP
M00 (700 4400)	Metal Deck	V78118FAU	V7878FAU-CBOP	V7878FAU-CBFP
M06 (780x1180mm)	Corrugated	V78118FCT	V7878FCT-CBOP	V7878FCT-CBFP
M00 (700 d 400)	Metal Deck	V78140FAU	V7898FAU-CBOP	V7898FAU-CBFP
M08 (780x1400mm)	Corrugated	V78140FCT	V7898FCT-CBOP	V7898FCT-CBFP
M02 (780x780mm)	Metal Deck	V7878FAU	V78118FAU-CBOP	V78118FAU-CBFP
WOZ (700X700HHI)	Corrugated	V7878FCT	V78118FCT-CBOP	V78118FCT-CBFP
M04 (780x980mm)	Metal Deck	V7898FAU	V78140FAU-CBOP	V78140FAU-CBFP
WI04 (760x960IIIII)	Corrugated	V7898FCT	V78140FCT-CB0P	V78140FCT-CBFP
S01 (1140x700mm)	Metal Deck	V11470FAU	V11470FAU-CB0P	V11470FAU-CBFP
301 (11408/0011111)	Corrugated	V11470FCT	V11470FCT-CB0P	V11470FCT-CBFP
206 /11/0v1100mm\	Metal Deck	V114118FAU	V114118FAU-CBOP	V114118FAU-CBFP
S06 (1140x1180mm)	Corrugated	V114118FCT	V114118FCT-CBOP	V114118FCT-CBFP





Velux Pitched Roof Skylight Flashing

Common Sizes Ships in 3-5 Business Days (Add 2 Days for Powder Coating)

For Roof Pitch 15°+

Velux Size Code	Roof Type	Zincalume	Colorbond One Piece	Colorbond Flat Pack
C01 (550x700mm)	Tile	V5570FTU	V5570FTU-CB0P	V5570FTU-CBFP
C04 (550x980mm)	Tile	V5598FTU	V5598FTU-CBOP	V5598FTU-CBFP
C06 (550x1180mm)	Tile	V55118FTU	V55118FTU-CB0P	V55118FTU-CBFP
C08 (550x1400mm)	Tile	V55140FTU	V55140FTU-CB0P	V55140FTU-CBFP
C12 (550x1800mm)	Tile	V55180FTU	V55180FTU-CB0P	V55180FTU-CBFP
M02 (780x780mm)	Tile	V7878FTU	V7878FTU-CBOP	V7878FTU-CBFP
M04 (780x980mm)	Tile	V7898FTU	V7898FTU-CBOP	V7898FTU-CBFP
M06 (780x1180mm)	Tile	V78118FTU	V78118FTU-CBOP	V78118FTU-CBFP
M08 (780x1400mm)	Tile	V78140FTU	V78140FTU-CBOP	V78140FTU-CBFP
S01 (1140x700mm)	Tile	V11470FTU	V11470FTU-CB0P	V11470FTU-CBFP
S06 (1140x1180mm)	Tile	V114118FTU	V114118FTU-CBOP	V114118FTU-CBFP



FOR ROOF PITCH - BELOW 15°

Pitch Adaptor Custom Skylight Flashings are used to install Velux Pitch Skylights when the roof pitch is below 15°. Velux Pitch Roof Skylights are designed to be installed at a roof pitch greater than 15°, if they are installed below 15° the Velux Skylights will leak and the warranty voided. Pitch Adaptor Custom Flashing raise the Skylight to or above the minimum pitch specified by Velux.

- Cost effective option to plasterboard shaft
- Quicker to install
- Easier to install in difficult roof cavities



The Skyspan Velux Skylight Flashing is manufactured to comply with the Australian Standards and is covered by a **seven (7) year guarantee**.

VELUX MODELS COMPATIBLE



FS

Fixed Non-Opening



VS

Manual Opening



VSE

Electric Opening



VSS

Solar Opening













Roof pitch range:

Use the V15 Flashing that is pitched at 15° $\,$

 $9^{\circ}\text{-}14^{\circ}$ Use the V7 Flashing that is pitched at 7°

(If the Skylight is pitched higher than 15° when the roof pitch is added to the Flashing the Skylight still meets all the requirements.)

MANUFACTURE

Zincalume®

STANDARD MATERIALS

0.75mm Zincalume®, steel spot welded for superior strength.

STANDARD FINISH

Mill

CUSTOM MATERIAL OPTIONS

Stainless Steel Galvanised

CUSTOM FINISH

Aluminium

Powder coated to match Colorbond colour range. See pg. 22



INSTRUCTIONS



TECHNICAL DRAWINGS

Colorbond® & Colorbond® Ultra

STANDARD MATERIALS

FINISH

0.55mm Colorbond

See options on page 23

Standard orientation is portrait (up the roof), not landscape (across the roof). Landscape orientation is available for additional charge—use additional code LOS.



BUY ONLINE

Velux Pitched Roof Skylight Flashing - For Roof Pitch 8°- 14°

Common Sizes Ships in 3-5 Business Days (Add 2 Days for Powder Coating)

Velux Size Code	Roof Type	Zincalume	Colorbond One Piece	Colorbond Flat Pack
	Metal Deck	V7-5570PAAU	V7-5570PAAU-CB0P	V7-5570PAAU-CBFP
C01 (550x700mm)	Corrugated	V7-5570PACT	V7-5570PACT-CB0P	V7-5570PACT-CBFP
	Tile	V7-5570PATU	V7-5570PATU-CB0P	V7-5570PATU-CBFP
	Metal Deck	V7-5578PAAU	V7-5578PAAU-CBOP	V7-5578PAAU-CBFP
C02 (550x780mm)	Corrugated	V7-5578PACT	V7-5578PACT-CBOP	V7-5578PACT-CBFP
	Tile	V7-5578PATU	V7-5578PATU-CBOP	V7-5578PATU-CBFP
	Metal Deck	V7-5598PAAU	V7-5598PAAU-CBOP	V7-5598PAAU-CBFP
C04 (550x980mm)	Corrugated	V7-5598PACT	V7-5598PACT-CBOP	V7-5598PACT-CBFP
	Tile	V7-5598PATU	V7-5598PATU-CBOP	V7-5598PATU-CBFP
	Metal Deck	V7-55118PAAU	V7-55118PAAU-CBOP	V7-55118PAAU-CBFP
C06 (550x1180mm)	Corrugated	V7-55118PACT	V7-55118PACT-CBOP	V7-55118PACT-CBFP
	Tile	V7-55118PATU	V7-55118PATU-CBOP	V7-55118PATU-CBFP
	Metal Deck	V7-55140PAAU	V7-55140PAAU-CBOP	V7-55140PAAU-CBFP
C08 (550x1400mm)	Corrugated	V7-55140PACT	V7-55140PACT-CB0P	V7-55140PACT-CBFP
	Tile	V7-55140PATU	V7-55140PATU-CB0P	V7-55140PATU-CBFP
	Metal Deck	V7-55180PAAU	V7-55180PAAU-CBOP	V7-55180PAAU-CBFP
C12 (550x1800mm)	Corrugated	V7-55180PACT	V7-55180PACT-CB0P	V7-55180PACT-CBFP
	Corrugated	V7-55180PATU	V7-55180PATU-CB0P	V7-55180PATU-CBFP
	Metal Deck	V7-7878PAAU	V7-7878PAAU-CBOP	V7-7878PAAU-CBFP
M02 (780x780mm)	Corrugated	V7-7878PACT	V7-7878PACT-CBOP	V7-7878PACT-CBFP
	Corrugated	V7-7878PATU	V7-7878PATU-CBOP	V7-7878PATU-CBFP
	Metal Deck	V7-7898PAAU	V7-7898PAAU-CBOP	V7-7898PAAU-CBFP
M04 (780x980mm)	Corrugated	V7-7898PACT	V7-7898PACT-CBOP	V7-7898PACT-CBFP
	Tile	V7-7898PATU	V7-7898PATU-CBOP	V7-7898PATU-CBFP
	Metal Deck	V7-78118PAAU	V7-78118PAAU-CBOP	V7-78118PAAU-CBFP
M06 (780x1180mm)	Corrugated	V7-78118PACT	V7-78118PACT-CBOP	V7-78118PACT-CBFP
	Tile	V7-78118PATU	V7-78118PATU-CBOP	V7-78118PATU-CBFP
	Metal Deck	V7-78140PAAU	V7-78140PAAU-CBOP	V7-78140PAAU-CBFP
M08 (780x1400mm)	Corrugated	V7-78140PACT	V7-78140PACT-CBOP	V7-78140PACT-CBFP
	Tile	V7-78140PATU	V7-78140PATU-CBOP	V7-78140PATU-CBFP
	Metal Deck	V7-11470PAAU	V7-11470PAAU-CBOP	V7-11470PAAU-CBFP
S01 (1140x700mm)	Corrugated	V7-11470PACT	V7-11470PACT-CBOP	V7-11470PACT-CBFP
	Tile	V7-11470PATU	V7-11470PATU-CBOP	V7-11470PATU-CBFP
	Metal Deck	V7-114118PAAU	V7-114118PAAU-CBOP	V7-114118PAAU-CBFP
S06 (1140x1180mm)	Corrugated	V7-114118PACT	V7-114118PACT-CBOP	V7-114118PACT-CBFP
	Tile	V7-114118PATU	V7-114118PATU-CBOP	V7-114118PATU-CBFP





Velux Pitched Roof Skylight Flashing - For Roof Pitch 0°-7°

Common Sizes Ships in 3-5 Business Days (Add 2 Days for Powder Coating)

Velux Size Code	Roof Type	Zincalume	Colorbond One Piece	Colorbond Flat Pack
	Metal Deck	V15-5570PAAU	V15-5570PAAU-CBOP	V15-5570PAAU-CBFP
C01 (550x700mm)	Corrugated	V15-5570PACT	V15-5570PACT-CB0P	V15-5570PACT-CBFP
	Hob Mount	V15-5570PAHB	V15-5570PAHB-CBOP	V15-5570PAHB-CBFP
	Metal Deck	V15-5578PAAU	V15-5578PAAU-CBOP	V15-5578PAAU-CBFP
C02 (550x780mm)	Corrugated	V15-5578PACT	V15-5578PACT-CBOP	V15-5578PACT-CBFP
	Hob Mount	V15-5578PAHB	V15-5578PAHB-CBOP	V15-5578PAHB-CBFP
	Metal Deck	V15-5598PAAU	V15-5598PAAU-CBOP	V15-5598PAAU-CBFP
C04 (550x980mm)	Corrugated	V15-5598PACT	V15-5598PACT-CBOP	V15-5598PACT-CBFP
	Hob Mount	V15-5598PAHB	V15-5598PAHB-CBOP	V15-5598PAHB-CBFP
	Metal Deck	V15-55118PAAU	V15-55118PAAU-CBOP	V15-55118PAAU-CBFP
C06 (550x1180mm)	Corrugated	V15-55118PACT	V15-55118PACT-CBOP	V15-55118PACT-CBFP
	Hob Mount	V15-55118PAHB	V15-55118PAHB-CBOP	V15-55118PAHB-CBFP
	Metal Deck	V15-55140PAAU	V15-55140PAAU-CB0P	V15-55140PAAU-CBFP
C08 (550x1400mm)	Corrugated	V15-55140PACT	V15-55140PACT-CB0P	V15-55140PACT-CBFP
	Hob Mount	V15-55140PAHB	V15-55140PAHB-CB0P	V15-55140PAHB-CBFP
	Metal Deck	V15-55180PAAU	V15-55180PAAU-CBOP	V15-55180PAAU-CBFP
C12 (550x1800mm)	Corrugated	V15-55180PACT	V15-55180PACT-CB0P	V15-55180PACT-CBFP
	Hob Mount	V15-55180PAHB	V15-55180PAHB-CB0P	V15-55180PAHB-CBFP
	Metal Deck	V15-7898PAAU	V15-7898PAAU-CBOP	V15-7898PAAU-CBFP
M04 (780x980mm)	Corrugated	V15-7898PACT	V15-7898PACT-CBOP	V15-7898PACT-CBFP
	Hob Mount	V15-7898PAHB	V15-7898PAHB-CBOP	V15-7898PAHB-CBFP
	Metal Deck	V15-78118PAAU	V15-78118PAAU-CBOP	V15-78118PAAU-CBFP
M06 (780x1180mm)	Corrugated	V15-78118PACT	V15-78118PACT-CBOP	V15-78118PACT-CBFP
	Hob Mount	V15-78118PAHB	V15-78118PAHB-CBOP	V15-78118PAHB-CBFP
	Metal Deck	V15-78140PAAU	V15-78140PAAU-CBOP	V15-78140PAAU-CBFP
M08 (780x1400mm)	Corrugated	V15-78140PACT	V15-78140PACT-CBOP	V15-78140PACT-CBFP
	Hob Mount	V15-78140PAHB	V15-78140PAHB-CB0P	V15-78140PAHB-CBFP
	Metal Deck	V15-11470PAAU	V15-11470PAAU-CB0P	V15-11470PAAU-CBFP
S01 (1140x700mm)	Corrugated	V15-11470PACT	V15-11470PACT-CB0P	V15-11470PACT-CBFP
	Hob Mount	V15-11470PAHB	V15-11470PAHB-CB0P	V15-11470PAHB-CBFP
	Metal Deck	V15-114118PAAU	V15-114118PAAU-CBOP	V15-114118PAAU-CBFP
S06 (1140x1180mm)	Corrugated	V15-114118PACT	V15-114118PACT-CBOP	V15-114118PACT-CBFP
	Hob Mount	V15-114118PAHB	V15-114118PAHB-CBOP	V15-114118PAHB-CBFP



Custom Roof Window Flashings are used to install Velux Roof Windows when the roof pitch is above 15°. The standard Velux Flashing is designed only to suit a Tile Roof. Skyspan Custom Roof Window Flashings are used to install Roof Windows onto Corrugated and Metaldeck Roofs.

VELUX MODELS COMPATIBLE



GGLCentre Pivot




GPLDual Action



The Skyspan Velux Skylight Flashing is manufactured to comply with the Australian Standards and is covered by a **seven (7) year guarantee**.







Roof pitch range:

MANUFACTURE

Zincalume®

STANDARD MATERIALS

0.75mm Zincalume®, steel spot welded for superior strength.

STANDARD FINISH

Mill

CUSTOM MATERIAL OPTIONS Stainless Steel

Galvanised CUSTOM FINISH





Aluminium

Powder coated to match Colorbond colour range. See pg. 22





TECHNICAL DRAWINGS

INSTRUCTIONS

Colorbond® & Colorbond® Ultra

FINISH STANDARD MATERIALS

0.55mm Colorbond

See options on page 23

Standard orientation is portrait (up the roof), not landscape (across the roof). Landscape orientation is available for additional charge—use additional code LOS.



Velux Roof Window Flashing


Common Sizes Ships in 3-5 Business Days (Add 2 Days for Powder Coating)

For Roof Pitch Above 15°

Velux Code	Roof Type	Zincalume	Colorbond One Piece	Colorbond Flat Pack
01/00	Metal Deck	VK5578FAU	VK5578FAU-CBOP	VK5578FAU-CBFP
CK02	Corrugated	VK5578FCT	VK5578FCT-CBOP	VK5578FCT-CBFP
CK04	Metal Deck	VK5598FAU	VK5598FAU-CBOP	VK5598FAU-CBFP
UNU4	Corrugated	VK5598FCT	VK5598FCT-CBOP	VK5598FCT-CBFP
CK06	Metal Deck	VK55118FAU	VK55118FAU-CBOP	VK55118FAU-CBFP
CKUU	Corrugated	VK55118FCT	VK55118FCT-CBOP	VK55118FCT-CBFP
MIZO	Metal Deck	VK7898FAU	VK7898FAU-CBOP	VK7898FAU-CBFP
MK04	Corrugated	VK7898FCT	VK7898FCT-CBOP	VK7898FCT-CBFP
MK06	Metal Deck	VK78118FAU	VK78118FAU-CBOP	VK78118FAU-CBFP
IVINOO	Corrugated	VK78118FCT	VK78118FCT-CBOP	VK78118FCT-CBFP
MK08	Metal Deck	VK78140FAU	VK78140FAU-CB0P	VK78140FAU-CBFP
IVINUO	Corrugated	VK78140FCT	VK78140FCT-CB0P	VK78140FCT-CBFP
CKUC	Metal Deck	VK114118FAU	VK114118FAU-CBOP	VK114118FAU-CBFP
SK06	Corrugated	VK114118FCT	VK114118FCT-CBOP	VK114118FCT-CBFP



SKYSPAN









Powder Coating

Powder Coating adds 2 Business Days to Shipping Times

Colour	Code	Colour	Code
Classic Cream	P/C CLASSIC CREAM	Gully	P/C GULLY
Paperbark	P/C PAPERBARK	Mangrove	P/C MANGROVE
Pale Eucalypt	P/C PALE EUCALYPT	Wallaby	P/C WALLABY
Woodland Grey	P/C WOODLAND GREY	Jasper	P/C JASPER
Deep Ocean	P/C DEEP OCEAN	Basalt	P/C BASALT
Cottage Green	P/C COTTAGE GREEN	Ironstone	P/C IRONSTONE
Manor Red	P/C MANOR RED	Terrain	P/C TERRAIN
Night Sky	P/C NIGHT SKY	Monument	P/C MONUMENT
Surfmist	P/C SURFMIST	Monument Matt	P/C MONUMENT MATT
Evening Haze	P/C EVENING HAZE	Dover White	P/C DOVER WHITE
Shale Grey	P/C SHALE GREY	Southerly	P/C SOUTHERLY
Dune	P/C DUNE	Bluegum	P/C BLUEGUM
Cove	P/C COVE	Pearl White	P/C PEARL WHITE
Windspray	P/C WINDSPRAY		





Colerbond

(Colour	Code	Colour	Code
	Dover White	CBSC Dover White	Windspray	CBSC Windspray
5	Surfmist	CBSC Surfmist	Ironstone	CBSC Ironstone
	Classic Cream	CBSC Classic Cream	Deep Ocean	CBSC Deep Ocean
F	Paperbark	CBSC Paperbark	Manor Red	CBSC Manor Red
E	Evening Haze	CBSC Evening Haze	Wallaby	CBSC Wallaby
5	Southerly	CBSC Southerly	Basalt	CBSC Basalt
5	Shale Grey	CBSC Shale Grey	Woodland Grey	CBSC Woodland Grey
	Dune	CBSC Dune	Night Sky	CBSC Night Sky
	Gully	CBSC Gully	Pale Eucalypt	CBSC Pale Eucalypt
	Jasper	CBSC Jasper	Cottage Green	CBSC Cottage Green
E	Bluegum	CBSC Bluegum	Monument	CBSC Monument
5	Shale Grey Matt	CBSM Shale Grey	Monument Matt	CBSM Monument
E	Bluegum Matt	CBSM Bluegum	Dune Matt	CBSM Dune
	Basalt Matt	CBSM Basalt	Surfmist Matt	CBSM Surfmist
Col	puoq			
	Ultra Surfmist	CBSCU Surfmist	Monument	CBSCU Monument
	Jltra Shale Grey	CBSCU Shale Grey	Dune	CBSCU Dune
V	Windspray	CBSCU Windspray	Wallaby	CBSCU Wallaby
V	Woodland Grey	CBSCU Woodland Grey		



1300 SKYSPAN (759 772)

sales@skyspan.com.au skyspan.com.au