



Flexible Shaft Skylight Kit **SL-FSK**

Utilizing Nature's Gift.®



SKYSPAN
AUSTRALIA PTY LTD



Flexible Shaft Skylight Kit - SL-FSK

The Skyspan Flexible Shaft Skylight Kit is a traditional Skylight that uses a flexible reflective shaft, ceiling trim and diffuser at the ceiling level in the place of an open plasterboard shaft.

The Flexible Shaft is made from highly reflective metalised tape to assist with the transfer of light and strengthened by a structural wire to hold the shaft in place for durability. The adaptable nature of the flexible shaft gives the ability to navigate around obstructing roof structures and services or resolve the complication of the ceiling penetration not directly aligning with the roof penetration.

- Cost effective option to plasterboard shaft
- Quicker to install
- Easier to install in difficult roof cavities



INCLUSIONS

- Flexible Shaft
- Collar
- Diffuser
- Ceiling Trim


VENTILATION TYPES



DIFFUSER TYPES

Prismat® The standard diffuser is a Clear Prismatic Diffuser that eliminates glare and produces an even spread of light by the female conical prism refracting properties.

WarmGlo® The option diffuser is available in both non-vented and vented models. WarmGlo Diffuser is a frosted white translucent diffuser that eliminates glare and produces a bright light that is softened for visual comfort.



Prismat



WarmGlo

WHERE TO USE

Suitable for any room where structurally compatible.

Ideal for:



ENERGY RATING*

VLT 98% / SC .098 / SHGC .85 / U-Value 5.5




BAL RATING - LOW

Complies with Bushfire AS 3959-2009

* Energy rating figures refer to clear acrylic glazing only.

TYPICAL INSTALLATION

Roof pitch range:  0°-45°



INSTALLATION INSTRUCTIONS



TECHNICAL DRAWINGS



BUY ONLINE

Flexible Shaft Skylight Kit - Non Vented (SL-FSK)

Common Sizes Ships in up to 5 Business Days (Add 2 Days for Powder Coating)

COMMON SIZES

Size: Nominal (Throat)	Shaft Length	Dome Colour	Metal Deck Roof	Corrugated Roof	Tile Roof	Corrimate®
			Order Code	Order Code	Order Code	Order Code
400x400mm	1m	Clear	SL400AU-C1.0FSK	SL400CT-C1.0FSK	SL400TU-C1.0FSK	SL400CS-C1.0FSK
	1m	Opal	SL400AU-O1.0FSK	SL400CT-O1.0FSK	SL400TU-O1.0FSK	SL400CS-O1.0FSK
	1m	Tint	SL400AU-T1.0FSK	SL400CT-T1.0FSK	SL400TU-T1.0FSK	SL400CS-T1.0FSK
	2m	Clear	SL400AU-C2.0FSK	SL400CT-C2.0FSK	SL400TU-C2.0FSK	SL400CS-C2.0FSK
	2m	Opal	SL400AU-O2.0FSK	SL400CT-O2.0FSK	SL400TU-O2.0FSK	SL400CS-O2.0FSK
	2m	Tint	SL400AU-T2.0FSK	SL400CT-T2.0FSK	SL400TU-T2.0FSK	SL400CS-T2.0FSK
	3m	Clear	SL400AU-C3.0FSK	SL400CT-C3.0FSK	SL400TU-C3.0FSK	SL400CS-C3.0FSK
	3m	Opal	SL400AU-O3.0FSK	SL400CT-O3.0FSK	SL400TU-O3.0FSK	SL400CS-O3.0FSK
	3m	Tint	SL400AU-T3.0FSK	SL400CT-T3.0FSK	SL400TU-T3.0FSK	SL400CS-T3.0FSK
400x600mm	1m	Clear	SL4060AU-C1.0FSK	SL4060CT-C1.0FSK	SL4060TU-C1.0FSK	SL4060CS-C1.0FSK
	1m	Opal	SL4060AU-O1.0FSK	SL4060CT-O1.0FSK	SL4060TU-O1.0FSK	SL4060CS-O1.0FSK
	1m	Tint	SL4060AU-T1.0FSK	SL4060CT-T1.0FSK	SL4060TU-T1.0FSK	SL4060CS-T1.0FSK
	2m	Clear	SL4060AU-C2.0FSK	SL4060CT-C2.0FSK	SL4060TU-C2.0FSK	SL4060CS-C2.0FSK
	2m	Opal	SL4060AU-O2.0FSK	SL4060CT-O2.0FSK	SL4060TU-O2.0FSK	SL4060CS-O2.0FSK
	2m	Tint	SL4060AU-T2.0FSK	SL4060CT-T2.0FSK	SL4060TU-T2.0FSK	SL4060CS-T2.0FSK
	3m	Clear	SL4060AU-C3.0FSK	SL4060CT-C3.0FSK	SL4060TU-C3.0FSK	SL4060CS-C3.0FSK
	3m	Opal	SL4060AU-O3.0FSK	SL4060CT-O3.0FSK	SL4060TU-O3.0FSK	SL4060CS-O3.0FSK
	3m	Tint	SL4060AU-T3.0FSK	SL4060CT-T3.0FSK	SL4060TU-T3.0FSK	SL4060CS-T3.0FSK
400x800mm	1m	Clear	SL4080AU-C1.0FSK	SL4080CT-C1.0FSK	SL4080TU-C1.0FSK	SL4080CS-C1.0FSK
	1m	Opal	SL4080AU-O1.0FSK	SL4080CT-O1.0FSK	SL4080TU-O1.0FSK	SL4080CS-O1.0FSK
	1m	Tint	SL4080AU-T1.0FSK	SL4080CT-T1.0FSK	SL4080TU-T1.0FSK	SL4080CS-T1.0FSK
	2m	Clear	SL4080AU-C2.0FSK	SL4080CT-C2.0FSK	SL4080TU-C2.0FSK	SL4080CS-C2.0FSK
	2m	Opal	SL4080AU-O2.0FSK	SL4080CT-O2.0FSK	SL4080TU-O2.0FSK	SL4080CS-O2.0FSK
	2m	Tint	SL4080AU-T2.0FSK	SL4080CT-T2.0FSK	SL4080TU-T2.0FSK	SL4080CS-T2.0FSK
	3m	Clear	SL4080AU-C3.0FSK	SL4080CT-C3.0FSK	SL4080TU-C3.0FSK	SL4080CS-C3.0FSK
	3m	Opal	SL4080AU-O3.0FSK	SL4080CT-O3.0FSK	SL4080TU-O3.0FSK	SL4080CS-O3.0FSK
	3m	Tint	SL4080AU-T3.0FSK	SL4080CT-T3.0FSK	SL4080TU-T3.0FSK	SL4080CS-T3.0FSK
500x500mm	1m	Clear	SL500AU-C1.0FSK	SL500CT-C1.0FSK	SL500TU-C1.0FSK	SL500CS-C1.0FSK
	1m	Opal	SL500AU-O1.0FSK	SL500CT-O1.0FSK	SL500TU-O1.0FSK	SL500CS-O1.0FSK
	1m	Tint	SL500AU-T1.0FSK	SL500CT-T1.0FSK	SL500TU-T1.0FSK	SL500CS-T1.0FSK
	2m	Clear	SL500AU-C2.0FSK	SL500CT-C2.0FSK	SL500TU-C2.0FSK	SL500CS-C2.0FSK
	2m	Opal	SL500AU-O2.0FSK	SL500CT-O2.0FSK	SL500TU-O2.0FSK	SL500CS-O2.0FSK
	2m	Tint	SL500AU-T2.0FSK	SL500CT-T2.0FSK	SL500TU-T2.0FSK	SL500CS-T2.0FSK
	3m	Clear	SL500AU-C3.0FSK	SL500CT-C3.0FSK	SL500TU-C3.0FSK	SL500CS-C3.0FSK
	3m	Opal	SL500AU-O3.0FSK	SL500CT-O3.0FSK	SL500TU-O3.0FSK	SL500CS-O3.0FSK
	3m	Tint	SL500AU-T3.0FSK	SL500CT-T3.0FSK	SL500TU-T3.0FSK	SL500CS-T3.0FSK
500x700mm	1m	Clear	SL5070AU-C1.0FSK	SL5070CT-C1.0FSK	SL5070TU-C1.0FSK	SL5070CS-C1.0FSK
	1m	Opal	SL5070AU-O1.0FSK	SL5070CT-O1.0FSK	SL5070TU-O1.0FSK	SL5070CS-O1.0FSK
	1m	Tint	SL5070AU-T1.0FSK	SL5070CT-T1.0FSK	SL5070TU-T1.0FSK	SL5070CS-T1.0FSK
	2m	Clear	SL5070AU-C2.0FSK	SL5070CT-C2.0FSK	SL5070TU-C2.0FSK	SL5070CS-C2.0FSK
	2m	Opal	SL5070AU-O2.0FSK	SL5070CT-O2.0FSK	SL5070TU-O2.0FSK	SL5070CS-O2.0FSK
	2m	Tint	SL5070AU-T2.0FSK	SL5070CT-T2.0FSK	SL5070TU-T2.0FSK	SL5070CS-T2.0FSK
	3m	Clear	SL5070AU-C3.0FSK	SL5070CT-C3.0FSK	SL5070TU-C3.0FSK	SL5070CS-C3.0FSK
	3m	Opal	SL5070AU-O3.0FSK	SL5070CT-O3.0FSK	SL5070TU-O3.0FSK	SL5070CS-O3.0FSK
	3m	Tint	SL5070AU-T3.0FSK	SL5070CT-T3.0FSK	SL5070TU-T3.0FSK	SL5070CS-T3.0FSK

Flexible Shaft Skylight Kit - Non Vented (SL-FSK)

Common Sizes Ships in up to 5 Business Days (Add 2 Days for Powder Coating)

Size: Nominal (Throat)	Shaft Length	Dome Colour	Metal Deck Roof	Corrugated Roof	Tile Roof	Corrimate®
			Order Code	Order Code	Order Code	Order Code
500x1100mm	1m	Clear	SL50110AU-C1.0FSK	SL50110CT-C1.0FSK	SL50110TU-C1.0FSK	SL50110CS-C1.0FSK
	1m	Opal	SL50110AU-O1.0FSK	SL50110CT-O1.0FSK	SL50110TU-O1.0FSK	SL50110CS-O1.0FSK
	1m	Tint	SL50110AU-T1.0FSK	SL50110CT-T1.0FSK	SL50110TU-T1.0FSK	SL50110CS-T1.0FSK
	2m	Clear	SL50110AU-C2.0FSK	SL50110CT-C2.0FSK	SL50110TU-C2.0FSK	SL50110CS-C2.0FSK
	2m	Opal	SL50110AU-O2.0FSK	SL50110CT-O2.0FSK	SL50110TU-O2.0FSK	SL50110CS-O2.0FSK
	2m	Tint	SL50110AU-T2.0FSK	SL50110CT-T2.0FSK	SL50110TU-T2.0FSK	SL50110CS-T2.0FSK
	3m	Clear	SL50110AU-C3.0FSK	SL50110CT-C3.0FSK	SL50110TU-C3.0FSK	SL50110CS-C3.0FSK
	3m	Opal	SL50110AU-O3.0FSK	SL50110CT-O3.0FSK	SL50110TU-O3.0FSK	SL50110CS-O3.0FSK
	3m	Tint	SL50110AU-T3.0FSK	SL50110CT-T3.0FSK	SL50110TU-T3.0FSK	SL50110CS-T3.0FSK
600x600mm	1m	Clear	SL600AU-C1.0FSK	SL600CT-C1.0FSK	SL600TU-C1.0FSK	SL600CS-C1.0FSK
	1m	Opal	SL600AU-O1.0FSK	SL600CT-O1.0FSK	SL600TU-O1.0FSK	SL600CS-O1.0FSK
	1m	Tint	SL600AU-T1.0FSK	SL600CT-T1.0FSK	SL600TU-T1.0FSK	SL600CS-T1.0FSK
	2m	Clear	SL600AU-C2.0FSK	SL600CT-C2.0FSK	SL600TU-C2.0FSK	SL600CS-C2.0FSK
	2m	Opal	SL600AU-O2.0FSK	SL600CT-O2.0FSK	SL600TU-O2.0FSK	SL600CS-O2.0FSK
	2m	Tint	SL600AU-T2.0FSK	SL600CT-T2.0FSK	SL600TU-T2.0FSK	SL600CS-T2.0FSK
	3m	Clear	SL600AU-C3.0FSK	SL600CT-C3.0FSK	SL600TU-C3.0FSK	SL600CS-C3.0FSK
	3m	Opal	SL600AU-O3.0FSK	SL600CT-O3.0FSK	SL600TU-O3.0FSK	SL600CS-O3.0FSK
	3m	Tint	SL600AU-T3.0FSK	SL600CT-T3.0FSK	SL600TU-T3.0FSK	SL600CS-T3.0FSK
600x1200mm	1m	Clear	SL60120AU-C1.0FSK	SL60120CT-C1.0FSK	SL60120TU-C1.0FSK	SL60120CS-C1.0FSK
	1m	Opal	SL60120AU-O1.0FSK	SL60120CT-O1.0FSK	SL60120TU-O1.0FSK	SL60120CS-O1.0FSK
	1m	Tint	SL60120AU-T1.0FSK	SL60120CT-T1.0FSK	SL60120TU-T1.0FSK	SL60120CS-T1.0FSK
	2m	Clear	SL60120AU-C2.0FSK	SL60120CT-C2.0FSK	SL60120TU-C2.0FSK	SL60120CS-C2.0FSK
	2m	Opal	SL60120AU-O2.0FSK	SL60120CT-O2.0FSK	SL60120TU-O2.0FSK	SL60120CS-O2.0FSK
	2m	Tint	SL60120AU-T2.0FSK	SL60120CT-T2.0FSK	SL60120TU-T2.0FSK	SL60120CS-T2.0FSK
	3m	Clear	SL60120AU-C3.0FSK	SL60120CT-C3.0FSK	SL60120TU-C3.0FSK	SL60120CS-C3.0FSK
	3m	Opal	SL60120AU-O3.0FSK	SL60120CT-O3.0FSK	SL60120TU-O3.0FSK	SL60120CS-O3.0FSK
	3m	Tint	SL60120AU-T3.0FSK	SL60120CT-T3.0FSK	SL60120TU-T3.0FSK	SL60120CS-T3.0FSK
800x800mm	1m	Clear	SL800AU-C1.0FSK	SL800CT-C1.0FSK	SL800TU-C1.0FSK	SL800CS-C1.0FSK
	1m	Opal	SL800AU-O1.0FSK	SL800CT-O1.0FSK	SL800TU-O1.0FSK	SL800CS-O1.0FSK
	1m	Tint	SL800AU-T1.0FSK	SL800CT-T1.0FSK	SL800TU-T1.0FSK	SL800CS-T1.0FSK
	2m	Clear	SL800AU-C2.0FSK	SL800CT-C2.0FSK	SL800TU-C2.0FSK	SL800CS-C2.0FSK
	2m	Opal	SL800AU-O2.0FSK	SL800CT-O2.0FSK	SL800TU-O2.0FSK	SL800CS-O2.0FSK
	2m	Tint	SL800AU-T2.0FSK	SL800CT-T2.0FSK	SL800TU-T2.0FSK	SL800CS-T2.0FSK
	3m	Clear	SL800AU-C3.0FSK	SL800CT-C3.0FSK	SL800TU-C3.0FSK	SL800CS-C3.0FSK
	3m	Opal	SL800AU-O3.0FSK	SL800CT-O3.0FSK	SL800TU-O3.0FSK	SL800CS-O3.0FSK
	3m	Tint	SL800AU-T3.0FSK	SL800CT-T3.0FSK	SL800TU-T3.0FSK	SL800CS-T3.0FSK
900x900mm	1m	Clear	SL900AU-C1.0FSK	SL900CT-C1.0FSK	SL900TU-C1.0FSK	SL900CS-C1.0FSK
	1m	Opal	SL900AU-O1.0FSK	SL900CT-O1.0FSK	SL900TU-O1.0FSK	SL900CS-O1.0FSK
	1m	Tint	SL900AU-T1.0FSK	SL900CT-T1.0FSK	SL900TU-T1.0FSK	SL900CS-T1.0FSK
	2m	Clear	SL900AU-C2.0FSK	SL900CT-C2.0FSK	SL900TU-C2.0FSK	SL900CS-C2.0FSK
	2m	Opal	SL900AU-O2.0FSK	SL900CT-O2.0FSK	SL900TU-O2.0FSK	SL900CS-O2.0FSK
	2m	Tint	SL900AU-T2.0FSK	SL900CT-T2.0FSK	SL900TU-T2.0FSK	SL900CS-T2.0FSK
	3m	Clear	SL900AU-C3.0FSK	SL900CT-C3.0FSK	SL900TU-C3.0FSK	SL900CS-C3.0FSK
	3m	Opal	SL900AU-O3.0FSK	SL900CT-O3.0FSK	SL900TU-O3.0FSK	SL900CS-O3.0FSK
	3m	Tint	SL900AU-T3.0FSK	SL900CT-T3.0FSK	SL900TU-T3.0FSK	SL900CS-T3.0FSK

Flexible Shaft Skylight Kit - Vented (SLV-FSK)

Common Sizes Ships in up to 5 Business Days (Add 2 Days for Powder Coating)

COMMON SIZES

Size: Nominal (Throat)	Shaft Length	Dome Colour	Metal Deck Roof	Corrugated Roof	Tile Roof	Corrimate®
			Order Code	Order Code	Order Code	Order Code
400x400mm	1m	Clear	SLV400AU-C1.0FSK	SLV400CT-C1.0FSK	SLV400TU-C1.0FSK	SLV400CS-C1.0FSK
	1m	Opal	SLV400AU-O1.0FSK	SLV400CT-O1.0FSK	SLV400TU-O1.0FSK	SLV400CS-O1.0FSK
	1m	Tint	SLV400AU-T1.0FSK	SLV400CT-T1.0FSK	SLV400TU-T1.0FSK	SLV400CS-T1.0FSK
	2m	Clear	SLV400AU-C2.0FSK	SLV400CT-C2.0FSK	SLV400TU-C2.0FSK	SLV400CS-C2.0FSK
	2m	Opal	SLV400AU-O2.0FSK	SLV400CT-O2.0FSK	SLV400TU-O2.0FSK	SLV400CS-O2.0FSK
	2m	Tint	SLV400AU-T2.0FSK	SLV400CT-T2.0FSK	SLV400TU-T2.0FSK	SLV400CS-T2.0FSK
	3m	Clear	SLV400AU-C3.0FSK	SLV400CT-C3.0FSK	SLV400TU-C3.0FSK	SLV400CS-C3.0FSK
	3m	Opal	SLV400AU-O3.0FSK	SLV400CT-O3.0FSK	SLV400TU-O3.0FSK	SLV400CS-O3.0FSK
	3m	Tint	SLV400AU-T3.0FSK	SLV400CT-T3.0FSK	SLV400TU-T3.0FSK	SLV400CS-T3.0FSK
400x600mm	1m	Clear	SLV4060AU-C1.0FSK	SLV4060CT-C1.0FSK	SLV4060TU-C1.0FSK	SLV4060CS-C1.0FSK
	1m	Opal	SLV4060AU-O1.0FSK	SLV4060CT-O1.0FSK	SLV4060TU-O1.0FSK	SLV4060CS-O1.0FSK
	1m	Tint	SLV4060AU-T1.0FSK	SLV4060CT-T1.0FSK	SLV4060TU-T1.0FSK	SLV4060CS-T1.0FSK
	2m	Clear	SLV4060AU-C2.0FSK	SLV4060CT-C2.0FSK	SLV4060TU-C2.0FSK	SLV4060CS-C2.0FSK
	2m	Opal	SLV4060AU-O2.0FSK	SLV4060CT-O2.0FSK	SLV4060TU-O2.0FSK	SLV4060CS-O2.0FSK
	2m	Tint	SLV4060AU-T2.0FSK	SLV4060CT-T2.0FSK	SLV4060TU-T2.0FSK	SLV4060CS-T2.0FSK
	3m	Clear	SLV4060AU-C3.0FSK	SLV4060CT-C3.0FSK	SLV4060TU-C3.0FSK	SLV4060CS-C3.0FSK
	3m	Opal	SLV4060AU-O3.0FSK	SLV4060CT-O3.0FSK	SLV4060TU-O3.0FSK	SLV4060CS-O3.0FSK
	3m	Tint	SLV4060AU-T3.0FSK	SLV4060CT-T3.0FSK	SLV4060TU-T3.0FSK	SLV4060CS-T3.0FSK
400x800mm	1m	Clear	SLV4080AU-C1.0FSK	SLV4080CT-C1.0FSK	SLV4080TU-C1.0FSK	SLV4080CS-C1.0FSK
	1m	Opal	SLV4080AU-O1.0FSK	SLV4080CT-O1.0FSK	SLV4080TU-O1.0FSK	SLV4080CS-O1.0FSK
	1m	Tint	SLV4080AU-T1.0FSK	SLV4080CT-T1.0FSK	SLV4080TU-T1.0FSK	SLV4080CS-T1.0FSK
	2m	Clear	SLV4080AU-C2.0FSK	SLV4080CT-C2.0FSK	SLV4080TU-C2.0FSK	SLV4080CS-C2.0FSK
	2m	Opal	SLV4080AU-O2.0FSK	SLV4080CT-O2.0FSK	SLV4080TU-O2.0FSK	SLV4080CS-O2.0FSK
	2m	Tint	SLV4080AU-T2.0FSK	SLV4080CT-T2.0FSK	SLV4080TU-T2.0FSK	SLV4080CS-T2.0FSK
	3m	Clear	SLV4080AU-C3.0FSK	SLV4080CT-C3.0FSK	SLV4080TU-C3.0FSK	SLV4080CS-C3.0FSK
	3m	Opal	SLV4080AU-O3.0FSK	SLV4080CT-O3.0FSK	SLV4080TU-O3.0FSK	SLV4080CS-O3.0FSK
	3m	Tint	SLV4080AU-T3.0FSK	SLV4080CT-T3.0FSK	SLV4080TU-T3.0FSK	SLV4080CS-T3.0FSK
500x500mm	1m	Clear	SLV500AU-C1.0FSK	SLV500CT-C1.0FSK	SLV500TU-C1.0FSK	SLV500CS-C1.0FSK
	1m	Opal	SLV500AU-O1.0FSK	SLV500CT-O1.0FSK	SLV500TU-O1.0FSK	SLV500CS-O1.0FSK
	1m	Tint	SLV500AU-T1.0FSK	SLV500CT-T1.0FSK	SLV500TU-T1.0FSK	SLV500CS-T1.0FSK
	2m	Clear	SLV500AU-C2.0FSK	SLV500CT-C2.0FSK	SLV500TU-C2.0FSK	SLV500CS-C2.0FSK
	2m	Opal	SLV500AU-O2.0FSK	SLV500CT-O2.0FSK	SLV500TU-O2.0FSK	SLV500CS-O2.0FSK
	2m	Tint	SLV500AU-T2.0FSK	SLV500CT-T2.0FSK	SLV500TU-T2.0FSK	SLV500CS-T2.0FSK
	3m	Clear	SLV500AU-C3.0FSK	SLV500CT-C3.0FSK	SLV500TU-C3.0FSK	SLV500CS-C3.0FSK
	3m	Opal	SLV500AU-O3.0FSK	SLV500CT-O3.0FSK	SLV500TU-O3.0FSK	SLV500CS-O3.0FSK
	3m	Tint	SLV500AU-T3.0FSK	SLV500CT-T3.0FSK	SLV500TU-T3.0FSK	SLV500CS-T3.0FSK
500x700mm	1m	Clear	SLV5070AU-C1.0FSK	SLV5070CT-C1.0FSK	SLV5070TU-C1.0FSK	SLV5070CS-C1.0FSK
	1m	Opal	SLV5070AU-O1.0FSK	SLV5070CT-O1.0FSK	SLV5070TU-O1.0FSK	SLV5070CS-O1.0FSK
	1m	Tint	SLV5070AU-T1.0FSK	SLV5070CT-T1.0FSK	SLV5070TU-T1.0FSK	SLV5070CS-T1.0FSK
	2m	Clear	SLV5070AU-C2.0FSK	SLV5070CT-C2.0FSK	SLV5070TU-C2.0FSK	SLV5070CS-C2.0FSK
	2m	Opal	SLV5070AU-O2.0FSK	SLV5070CT-O2.0FSK	SLV5070TU-O2.0FSK	SLV5070CS-O2.0FSK
	2m	Tint	SLV5070AU-T2.0FSK	SLV5070CT-T2.0FSK	SLV5070TU-T2.0FSK	SLV5070CS-T2.0FSK
	3m	Clear	SLV5070AU-C3.0FSK	SLV5070CT-C3.0FSK	SLV5070TU-C3.0FSK	SLV5070CS-C3.0FSK
	3m	Opal	SLV5070AU-O3.0FSK	SLV5070CT-O3.0FSK	SLV5070TU-O3.0FSK	SLV5070CS-O3.0FSK
	3m	Tint	SLV5070AU-T3.0FSK	SLV5070CT-T3.0FSK	SLV5070TU-T3.0FSK	SLV5070CS-T3.0FSK

Flexible Shaft Skylight Kit - Vented (SLV-FSK)


Common Sizes Ships in up to 5 Business Days (Add 2 Days for Powder Coating)

Size: Nominal (Throat)	Shaft Length	Dome Colour	Metal Deck Roof	Corrugated Roof	Tile Roof	Corrimate®
			Order Code	Order Code	Order Code	Order Code
500x1100mm	1m	Clear	SLV50110AU-C1.0FSK	SLV50110CT-C1.0FSK	SLV50110TU-C1.0FSK	SLV50110CS-C1.0FSK
	1m	Opal	SLV50110AU-O1.0FSK	SLV50110CT-O1.0FSK	SLV50110TU-O1.0FSK	SLV50110CS-O1.0FSK
	1m	Tint	SLV50110AU-T1.0FSK	SLV50110CT-T1.0FSK	SLV50110TU-T1.0FSK	SLV50110CS-T1.0FSK
	2m	Clear	SLV50110AU-C2.0FSK	SLV50110CT-C2.0FSK	SLV50110TU-C2.0FSK	SLV50110CS-C2.0FSK
	2m	Opal	SLV50110AU-O2.0FSK	SLV50110CT-O2.0FSK	SLV50110TU-O2.0FSK	SLV50110CS-O2.0FSK
	2m	Tint	SLV50110AU-T2.0FSK	SLV50110CT-T2.0FSK	SLV50110TU-T2.0FSK	SLV50110CS-T2.0FSK
	3m	Clear	SLV50110AU-C3.0FSK	SLV50110CT-C3.0FSK	SLV50110TU-C3.0FSK	SLV50110CS-C3.0FSK
	3m	Opal	SLV50110AU-O3.0FSK	SLV50110CT-O3.0FSK	SLV50110TU-O3.0FSK	SLV50110CS-O3.0FSK
	3m	Tint	SLV50110AU-T3.0FSK	SLV50110CT-T3.0FSK	SLV50110TU-T3.0FSK	SLV50110CS-T3.0FSK
600x600mm	1m	Clear	SLV600AU-C1.0FSK	SLV600CT-C1.0FSK	SLV600TU-C1.0FSK	SLV600CS-C1.0FSK
	1m	Opal	SLV600AU-O1.0FSK	SLV600CT-O1.0FSK	SLV600TU-O1.0FSK	SLV600CS-O1.0FSK
	1m	Tint	SLV600AU-T1.0FSK	SLV600CT-T1.0FSK	SLV600TU-T1.0FSK	SLV600CS-T1.0FSK
	2m	Clear	SLV600AU-C2.0FSK	SLV600CT-C2.0FSK	SLV600TU-C2.0FSK	SLV600CS-C2.0FSK
	2m	Opal	SLV600AU-O2.0FSK	SLV600CT-O2.0FSK	SLV600TU-O2.0FSK	SLV600CS-O2.0FSK
	2m	Tint	SLV600AU-T2.0FSK	SLV600CT-T2.0FSK	SLV600TU-T2.0FSK	SLV600CS-T2.0FSK
	3m	Clear	SLV600AU-C3.0FSK	SLV600CT-C3.0FSK	SLV600TU-C3.0FSK	SLV600CS-C3.0FSK
	3m	Opal	SLV600AU-O3.0FSK	SLV600CT-O3.0FSK	SLV600TU-O3.0FSK	SLV600CS-O3.0FSK
	3m	Tint	SLV600AU-T3.0FSK	SLV600CT-T3.0FSK	SLV600TU-T3.0FSK	SLV600CS-T3.0FSK
600x1200mm	1m	Clear	SLV60120AU-C1.0FSK	SLV60120CT-C1.0FSK	SLV60120TU-C1.0FSK	SLV60120CS-C1.0FSK
	1m	Opal	SLV60120AU-O1.0FSK	SLV60120CT-O1.0FSK	SLV60120TU-O1.0FSK	SLV60120CS-O1.0FSK
	1m	Tint	SLV60120AU-T1.0FSK	SLV60120CT-T1.0FSK	SLV60120TU-T1.0FSK	SLV60120CS-T1.0FSK
	2m	Clear	SLV60120AU-C2.0FSK	SLV60120CT-C2.0FSK	SLV60120TU-C2.0FSK	SLV60120CS-C2.0FSK
	2m	Opal	SLV60120AU-O2.0FSK	SLV60120CT-O2.0FSK	SLV60120TU-O2.0FSK	SLV60120CS-O2.0FSK
	2m	Tint	SLV60120AU-T2.0FSK	SLV60120CT-T2.0FSK	SLV60120TU-T2.0FSK	SLV60120CS-T2.0FSK
	3m	Clear	SLV60120AU-C3.0FSK	SLV60120CT-C3.0FSK	SLV60120TU-C3.0FSK	SLV60120CS-C3.0FSK
	3m	Opal	SLV60120AU-O3.0FSK	SLV60120CT-O3.0FSK	SLV60120TU-O3.0FSK	SLV60120CS-O3.0FSK
	3m	Tint	SLV60120AU-T3.0FSK	SLV60120CT-T3.0FSK	SLV60120TU-T3.0FSK	SLV60120CS-T3.0FSK
800x800mm	1m	Clear	SLV800AU-C1.0FSK	SLV800CT-C1.0FSK	SLV800TU-C1.0FSK	SLV800CS-C1.0FSK
	1m	Opal	SLV800AU-O1.0FSK	SLV800CT-O1.0FSK	SLV800TU-O1.0FSK	SLV800CS-O1.0FSK
	1m	Tint	SLV800AU-T1.0FSK	SLV800CT-T1.0FSK	SLV800TU-T1.0FSK	SLV800CS-T1.0FSK
	2m	Clear	SLV800AU-C2.0FSK	SLV800CT-C2.0FSK	SLV800TU-C2.0FSK	SLV800CS-C2.0FSK
	2m	Opal	SLV800AU-O2.0FSK	SLV800CT-O2.0FSK	SLV800TU-O2.0FSK	SLV800CS-O2.0FSK
	2m	Tint	SLV800AU-T2.0FSK	SLV800CT-T2.0FSK	SLV800TU-T2.0FSK	SLV800CS-T2.0FSK
	3m	Clear	SLV800AU-C3.0FSK	SLV800CT-C3.0FSK	SLV800TU-C3.0FSK	SLV800CS-C3.0FSK
	3m	Opal	SLV800AU-O3.0FSK	SLV800CT-O3.0FSK	SLV800TU-O3.0FSK	SLV800CS-O3.0FSK
	3m	Tint	SLV800AU-T3.0FSK	SLV800CT-T3.0FSK	SLV800TU-T3.0FSK	SLV800CS-T3.0FSK
900x900mm	1m	Clear	SLV900AU-C1.0FSK	SLV900CT-C1.0FSK	SLV900TU-C1.0FSK	SLV900CS-C1.0FSK
	1m	Opal	SLV900AU-O1.0FSK	SLV900CT-O1.0FSK	SLV900TU-O1.0FSK	SLV900CS-O1.0FSK
	1m	Tint	SLV900AU-T1.0FSK	SLV900CT-T1.0FSK	SLV900TU-T1.0FSK	SLV900CS-T1.0FSK
	2m	Clear	SLV900AU-C2.0FSK	SLV900CT-C2.0FSK	SLV900TU-C2.0FSK	SLV900CS-C2.0FSK
	2m	Opal	SLV900AU-O2.0FSK	SLV900CT-O2.0FSK	SLV900TU-O2.0FSK	SLV900CS-O2.0FSK
	2m	Tint	SLV900AU-T2.0FSK	SLV900CT-T2.0FSK	SLV900TU-T2.0FSK	SLV900CS-T2.0FSK
	3m	Clear	SLV900AU-C3.0FSK	SLV900CT-C3.0FSK	SLV900TU-C3.0FSK	SLV900CS-C3.0FSK
	3m	Opal	SLV900AU-O3.0FSK	SLV900CT-O3.0FSK	SLV900TU-O3.0FSK	SLV900CS-O3.0FSK
	3m	Tint	SLV900AU-T3.0FSK	SLV900CT-T3.0FSK	SLV900TU-T3.0FSK	SLV900CS-T3.0FSK


COMMON SIZES

Roof Type - Flashing Profile


AU (Apron Upstand) - Metal Deck




CT (Corrugated Tray) - Corrugated



TU (Tile Upstand) - Tile



CS (Corrugated Sheet) - Corrimate®



Powder Coating

Powder Coating adds 2 Business Days to Shipping Times

Colour	Code	Colour	Code
 Classic Cream	P/C CLASSIC CREAM	 Gully	P/C GULLY
 Paperbark	P/C PAPERBARK	 Mangrove	P/C MANGROVE
 Pale Eucalypt	P/C PALE EUCALYPT	 Wallaby	P/C WALLABY
 Woodland Grey	P/C WOODLAND GREY	 Jasper	P/C JASPER
 Deep Ocean	P/C DEEP OCEAN	 Basalt	P/C BASALT
 Cottage Green	P/C COTTAGE GREEN	 Ironstone	P/C IRONSTONE
 Manor Red	P/C MANOR RED	 Terrain	P/C TERRAIN
 Night Sky	P/C NIGHT SKY	 Monument	P/C MONUMENT
 Surfmist	P/C SURFMIST	 Monument Matt	P/C MONUMENT MATT
 Evening Haze	P/C EVENING HAZE	 Dover White	P/C DOVER WHITE
 Shale Grey	P/C SHALE GREY	 Southerly	P/C SOUTHERLY
 Dune	P/C DUNE	 Bluegum	P/C BLUEGUM
 Cove	P/C COVE	 Pearl White	P/C PEARL WHITE
 Windspray	P/C WINDSPRAY		



SKYSPAN
AUSTRALIA PTY LTD

1300 SKYSPAN (759 772)

sales@skyspan.com.au

skyspan.com.au