



Polymer Circular Skylight

CSL

Utilizing Nature's Gift.®



SKYSPAN
AUSTRALIA PTY LTD



Circular Skylights CSL

POLYMER

The Skyspan Circular Skylight is a light weight durable product that has visual appeal with the Circular shaped glazing. Circular Skylights are mounted on a square hob and transmit light to the room below via a circular plasterboard shaft that is constructed by others. Due to the pitch and shape of the glazing, the Circular Skylight is largely self-cleaning and this makes it ideal for situations with low roof pitch.



The Skyspan Circular Skylight is manufactured to comply with the Australia Standard AS4285 and is covered by a **seven (7) year guarantee.**



WHERE TO USE

Skyspan's Circular Skylight fit Corrugated, Metaldecks and Concrete Roofs. Suitable for any room where structurally compatible.

Ideal for:



SHOPPING CENTRES



HOSPITALS



HOTELS



HOMES



VENTILATION TYPES

Non Vented

The Skylight has no ventilation system. This is the standard Skylight and is used in most rooms.

Passive Ventilation

The frame under the dome is perforated, this allows for hot air to naturally rise, taking with it steam and odors are drawn outside.



MANUFACTURE

Flashing and Frame

STANDARD MATERIALS

0.75mm Zincalume® steel spot welded for superior strength.

STANDARD FINISH

Mill

CUSTOM MATERIAL OPTIONS



Stainless Steel



Aluminium



Copper



Galvanised



Colorbond®



Colorbond® Ultra

CUSTOM FINISH

Powder coated to match Colorbond® colour range. See pg. 9



INSTALLATION INSTRUCTIONS

Dome

STANDARD MATERIALS

Formed 3mm acrylic.
4.5mm for larger sizes.

STANDARD COLOUR



Opal
(White Translucent)

CUSTOM COLOUR OPTIONS



Grey Tint



Clear



TECHNICAL DRAWINGS



ENERGY RATING*

VLT 98% / SC .098 / SHGC .85 / U-Value 5.5



BAL RATING - LOW


Complies with Bushfire AS 3959-2009

* Energy rating figures refer to clear acrylic glazing only.

TYPICAL INSTALLATION

Roof pitch range: 0°-45°

Circular Skylight shown installed with typical plasterboard light shaft.



BUY ONLINE

Circular Skylights - Non Vented (CSL)

Common Sizes Ships in 3-5 Business Days (Add 2 Days for Powder Coating)

		Corrugated Roof	Metal Deck Roof	Hob Mount (Concrete)
Diameter: Nominal (Throat)	Dome Colour	Order Code	Order Code	Order Code
550mm	Clear	CSL550CT-C	CSL550AU-C	CSL550HB-C
	Opal	CSL550CT-O	CSL550AU-O	CSL550HB-O
	Tint	CSL550CT-T	CSL550AU-T	CSL550HB-T
600mm	Clear	CSL600CT-C	CSL600AU-C	CSL600HB-C
	Opal	CSL600CT-O	CSL600AU-O	CSL600HB-O
	Tint	CSL600CT-T	CSL600AU-T	CSL600HB-T
700mm	Clear	CSL700CT-C	CSL700AU-C	CSL700HB-C
	Opal	CSL700CT-O	CSL700AU-O	CSL700HB-O
	Tint	CSL700CT-T	CSL700AU-T	CSL700HB-T
800mm	Clear	CSL800CT-C	CSL800AU-C	CSL800HB-C
	Opal	CSL800CT-O	CSL800AU-O	CSL800HB-O
	Tint	CSL800CT-T	CSL800AU-T	CSL800HB-T
900mm	Clear	CSL900CT-C	CSL900AU-C	CSL900HB-C
	Opal	CSL900CT-O	CSL900AU-O	CSL900HB-O
	Tint	CSL900CT-T	CSL900AU-T	CSL900HB-T
1000mm	Clear	CSL1000CT-C	CSL1000AU-C	CSL1000HB-C
	Opal	CSL1000CT-O	CSL1000AU-O	CSL1000HB-O
	Tint	CSL1000CT-T	CSL1000AU-T	CSL1000HB-T
1100mm	Clear	CSL1100CT-C	CSL1100AU-C	CSL1100HB-C
	Opal	CSL1100CT-O	CSL1100AU-O	CSL1100HB-O
	Tint	CSL1100CT-T	CSL1100AU-T	CSL1100HB-T
1200mm	Clear	CSL1200CT-C	CSL1200AU-C	CSL1200HB-C
	Opal	CSL1200CT-O	CSL1200AU-O	CSL1200HB-O
	Tint	CSL1200CT-T	CSL1200AU-T	CSL1200HB-T

All CSLs come standard with a square flashing. Pricing for circular flashings is available upon request.

Circular Skylights - Non Vented (CSL)

Custom P.O.A. Special Sizes

Ships in 15-20* Business Days (Add 2 Days for Powder Coating)

*Shipping Times Confirmed at Quote Stage

		Hob Mount (Concrete)	Curb Mount (Steel/Timber)
Diameter: Nominal (Throat)	Dome Colour	Order Code	Order Code
1300mm	Clear	CSL1300HB-C	CSL1300CM-C
	Opal	CSL1300HB-O	CSL1300CM-O
	Tint	CSL1300HB-T	CSL1300CM-T
1400mm	Clear	CSL1400HB-C	CSL1400CM-C
	Opal	CSL1400HB-O	CSL1400CM-O
	Tint	CSL1400HB-T	CSL1400CM-T
1500mm	Clear	CSL1500HB-C	CSL1500CM-C
	Opal	CSL1500HB-O	CSL1500CM-O
	Tint	CSL1500HB-T	CSL1500CM-T
1600mm	Clear	CSL1600HB-C	CSL1600CM-C
	Opal	CSL1600HB-O	CSL1600CM-O
	Tint	CSL1600HB-T	CSL1600CM-T
1700mm	Clear	CSL1700HB-C	CSL1700CM-C
	Opal	CSL1700HB-O	CSL1700CM-O
	Tint	CSL1700HB-T	CSL1700CM-T
1800mm	Clear	CSL1800HB-C	CSL1800CM-C
	Opal	CSL1800HB-O	CSL1800CM-O
	Tint	CSL1800HB-T	CSL1800CM-T
2000mm	Clear	CSL2000HB-C	CSL2000CM-C
	Opal	CSL2000HB-O	CSL2000CM-O
	Tint	CSL2000HB-T	CSL2000CM-T
2200mm	Clear	CSL2200HB-C	CSL2200CM-C
	Opal	CSL2200HB-O	CSL2200CM-O
	Tint	CSL2200HB-T	CSL2200CM-T
2400mm	Clear	CSL2400HB-C	CSL2400CM-C
	Opal	CSL2400HB-O	CSL2400CM-O
	Tint	CSL2400HB-T	CSL2400CM-T

All CSLs come standard with a square flashing. Pricing for circular flashings is available upon request.

Circular Skylights - Vented (CSLV)

Common Sizes Ships in 3-5 Business Days (Add 2 Days for Powder Coating)

		Corrugated Roof	Metal Deck Roof	Hob Mount (Concrete)
Diameter: Nominal (Throat)	Dome Colour	Order Code	Order Code	Order Code
550mm	Clear	CSLV550CT-C	CSLV550AU-C	CSLV550HB-C
	Opal	CSLV550CT-O	CSLV550AU-O	CSLV550HB-O
	Tint	CSLV550CT-T	CSLV550AU-T	CSLV550HB-T
600mm	Clear	CSLV600CT-C	CSLV600AU-C	CSLV600HB-C
	Opal	CSLV600CT-O	CSLV600AU-O	CSLV600HB-O
	Tint	CSLV600CT-T	CSLV600AU-T	CSLV600HB-T
700mm	Clear	CSLV700CT-C	CSLV700AU-C	CSLV700HB-C
	Opal	CSLV700CT-O	CSLV700AU-O	CSLV700HB-O
	Tint	CSLV700CT-T	CSLV700AU-T	CSLV700HB-T
800mm	Clear	CSLV800CT-C	CSLV800AU-C	CSLV800HB-C
	Opal	CSLV800CT-O	CSLV800AU-O	CSLV800HB-O
	Tint	CSLV800CT-T	CSLV800AU-T	CSLV800HB-T
900mm	Clear	CSLV900CT-C	CSLV900AU-C	CSLV900HB-C
	Opal	CSLV900CT-O	CSLV900AU-O	CSLV900HB-O
	Tint	CSLV900CT-T	CSLV900AU-T	CSLV900HB-T
1000mm	Clear	CSLV1000CT-C	CSLV1000AU-C	CSLV1000HB-C
	Opal	CSLV1000CT-O	CSLV1000AU-O	CSLV1000HB-O
	Tint	CSLV1000CT-T	CSLV1000AU-T	CSLV1000HB-T
1100mm	Clear	CSLV1100CT-C	CSLV1100AU-C	CSLV1100HB-C
	Opal	CSLV1100CT-O	CSLV1100AU-O	CSLV1100HB-O
	Tint	CSLV1100CT-T	CSLV1100AU-T	CSLV1100HB-T
1200mm	Clear	CSLV1200CT-C	CSLV1200AU-C	CSLV1200HB-C
	Opal	CSLV1200CT-O	CSLV1200AU-O	CSLV1200HB-O
	Tint	CSLV1200CT-T	CSLV1200AU-T	CSLV1200HB-T

All CSLs come standard with a square flashing. Pricing for circular flashings is available upon request.

Circular Skylights - Vented (CSLV)

Custom P.O.A. Special Sizes Ships in 15-20* Business Days (Add 2 Days for Powder Coating)


*Shipping Times Confirmed at Quote Stage

Diameter: Nominal (Throat)	Dome Colour	Hob Mount (Concrete)	Curb Mount (Steel/Timber)
		Order Code	Order Code
1300mm	Clear	CSLV1300HB-C	CSLV1300CM-C
	Opal	CSLV1300HB-O	CSLV1300CM-O
	Tint	CSLV1300HB-T	CSLV1300CM-T
1400mm	Clear	CSLV1400HB-C	CSLV1400CM-C
	Opal	CSLV1400HB-O	CSLV1400CM-O
	Tint	CSLV1400HB-T	CSLV1400CM-T
1500mm	Clear	CSLV1500HB-C	CSLV1500CM-C
	Opal	CSLV1500HB-O	CSLV1500CM-O
	Tint	CSLV1500HB-T	CSLV1500CM-T
1600mm	Clear	CSLV1600HB-C	CSLV1600CM-C
	Opal	CSLV1600HB-O	CSLV1600CM-O
	Tint	CSLV1600HB-T	CSLV1600CM-T
1700mm	Clear	CSLV1700HB-C	CSLV1700CM-C
	Opal	CSLV1700HB-O	CSLV1700CM-O
	Tint	CSLV1700HB-T	CSLV1700CM-T
1800mm	Clear	CSLV1800HB-C	CSLV1800CM-C
	Opal	CSLV1800HB-O	CSLV1800CM-O
	Tint	CSLV1800HB-T	CSLV1800CM-T
2000mm	Clear	CSLV2000HB-C	CSLV2000CM-C
	Opal	CSLV2000HB-O	CSLV2000CM-O
	Tint	CSLV2000HB-T	CSLV2000CM-T
2200mm	Clear	CSLV2200HB-C	CSLV2200CM-C
	Opal	CSLV2200HB-O	CSLV2200CM-O
	Tint	CSLV2200HB-T	CSLV2200CM-T
2400mm	Clear	CSLV2400HB-C	CSLV2400CM-C
	Opal	CSLV2400HB-O	CSLV2400CM-O
	Tint	CSLV2400HB-T	CSLV2400CM-T


All CSLs come standard with a square flashing. Pricing for circular flashings is available upon request.

Roof Type - Flashing Profile


AU (Apron Upstand) - Metal Deck




CT (Corrugated Tray) - Corrugated



CM (Curb Mount) - Curb Mount (Steel/Timber)



HB (Hob) - Hob Mount (Concrete)



Powder Coating



For all Stock & Common Skylights & Flashings

Powder Coating adds 2 Business Days to Shipping Times

Codes aren't applicable for Special P.O.A. Sizes, contact us with an RFQ

Colour	Code	Colour	Code
 Classic Cream	P/C CLASSIC CREAM	 Gully	P/C GULLY
 Paperbark	P/C PAPERBARK	 Mangrove	P/C MANGROVE
 Pale Eucalypt	P/C PALE EUCALYPT	 Wallaby	P/C WALLABY
 Woodland Grey	P/C WOODLAND GREY	 Jasper	P/C JASPER
 Deep Ocean	P/C DEEP OCEAN	 Basalt	P/C BASALT
 Cottage Green	P/C COTTAGE GREEN	 Ironstone	P/C IRONSTONE
 Manor Red	P/C MANOR RED	 Terrain	P/C TERRAIN
 Night Sky	P/C NIGHT SKY	 Monument	P/C MONUMENT
 Surfmist	P/C SURFMIST	 Monument Matt	P/C MONUMENT MATT
 Evening Haze	P/C EVENING HAZE	 Dover White	P/C DOVER WHITE
 Shale Grey	P/C SHALE GREY	 Southerly	P/C SOUTHERLY
 Dune	P/C DUNE	 Bluegum	P/C BLUEGUM
 Cove	P/C COVE	 Pearl White	P/C PEARL WHITE
 Windspray	P/C WINDSPRAY		



SKYSPAN
AUSTRALIA PTY LTD

1300 SKYSPAN (759 772)

sales@skyspan.com.au

skyspan.com.au