

Opening Glass Skylight **GSW**


Utilizing Nature's Gift.®





OPENING

The Skyspan GSW is a Manual Opening Glass Skylight that combines room enhancing natural light and ventilation with an externally stylish roof matching frame. Opening with a handle or extension pole allows ventilation to be controlled when needed. The Clear Double Glazed Glass affords excellent thermal barriers to the heat in summer and the cold in winter while simultaneously providing a clear view to the daylight and night sky. As a made to order product, the standard sizes and features do not restrict the product make up as the Skywindow GSL can be custom made with options for alternative sizes and materials.





The Skyspan GSW is manufactured to comply with the Australia Standard AS1288 is covered by a **seven (7) year guarantee**.





WHERE TO USE

Skyspan's GSW fit all Australian roof types including Corrugated, Metaldecks, Tile Roofs and Concrete Roofs. Suitable for any room where structurally compatible.

Ideal for:









MANUFACTURE

Flashing and Frame

STANDARD MATERIALS Aluminium frame welded for superior strength.

0.75mm Zincalume® flashing.

STANDARD FINISH Mill

CUSTOM MATERIAL OPTIONS

Stainless Steel Galvanised

Copper

Colorbond® Colorbond® Ultra

CUSTOM FINISH

Powder coated to match Colorbond colour range. See pg. 7

Grey Tint

Standard orientation is portrait (up the roof), not landscape (across the roof). Landscape orientation is available for additional charge—use additional code LOS.

Glazing (Complies with AS1288)

STANDARD GLAZING

Neutral

CUSTOM GLAZING OPTIONS

Clear White Translucent


GLAZING

Grade A Laminated safety glass must be used for skylights and overhead glazing installed 3m or more above the finished floor level. (AS1288)

Performance Laminated Glazing



Comfort Double Glazing





ENERGY RATING

Single Glazed Double Glazed

U-VALUE SHGC 0.74 5.6 1.3 0.27

Values are centre of glass values for standard clear glass, other glazing options available

BAL RATING - 29 "

Complies with Bushfire AS 3959-2009"







BUY ONLINE

HANDLE

Choose between an easy wind handle or telescopic rod control for out-of-reach situations.

1450 - 2850mm











Roof pitch range:







INSTALLATION INSTRUCTIONS

Glass Skylights - Opening (GSW)

Common Sizes SG: Ships in up to 10 Business Days | DG: Ships in 15–20 Business Days (+2 Days for Powder Coating)

		Metal Deck Roof	Corrugated Roof	Tile Roof	Hob Mount (Concrete)
Size: Nominal (Throat)	Glazing	Order Code	Order Code	Order Code	Order Code
400x400	Single	GSW400AU-SG	GSW400CT-SG	GSW400TU-SG	GSW400HB-SG
	Double	GSW400AU-DG	GSW400CT-DG	GSW400TU-DG	GSW400HB-DG
400.000	Single	GSW4060AU-SG	GSW4060CT-SG	GSW4060TU-SG	GSW4060HB-SG
400x600	Double	GSW4060AU-DG	GSW4060CT-DG	GSW4060TU-DG	GSW4060HB-DG
400x700	Single	GSW4070AU-SG	GSW4070CT-SG	GSW4070TU-SG	GSW4070HB-SG
	Double	GSW4070AU-DG	GSW4070CT-DG	GSW4070TU-DG	GSW4070HB-DG
400,000	Single	GSW4080AU-SG	GSW4080CT-SG	GSW4080TU-SG	GSW4080HB-SG
400x800	Double	GSW4080AU-DG	GSW4080CT-DG	GSW4080TU-DG	GSW4080HB-DG
400:4100	Single	GSW40110AU-SG	GSW40110CT-SG	GSW40110TU-SG	GSW40110HB-SG
400x1100	Double	GSW40110AU-DG	GSW40110CT-DG	GSW40110TU-DG	GSW40110HB-DG
F00-F00	Single	GSW500AU-SG	GSW500CT-SG	GSW500TU-SG	GSW500HB-SG
500x500	Double	GSW500AU-DG	GSW500CT-DG	GSW500TU-DG	GSW500HB-DG
500 700	Single	GSW5070AU-SG	GSW5070CT-SG	GSW5070TU-SG	GSW5070HB-SG
500x700	Double	GSW5070AU-DG	GSW5070CT-DG	GSW5070TU-DG	GSW5070HB-DG
500 4400	Single	GSW50110AU-SG	GSW50110CT-SG	GSW50110TU-SG	GSW50110HB-SG
500x1100	Double	GSW50110AU-DG	GSW50110CT-DG	GSW50110TU-DG	GSW50110HB-DG
500 4400	Single	GSW50140AU-SG	GSW50140CT-SG	GSW50140TU-SG	GSW50140HB-SG
500x1400	Double	GSW50140AU-DG	GSW50140CT-DG	GSW50140TU-DG	GSW50140HB-DG
550,550	Single	GSW550AU-SG	GSW550CT-SG	GSW550TU-SG	GSW550HB-SG
550x550	Double	GSW550AU-DG	GSW550CT-DG	GSW550TU-DG	GSW550HB-DG
550,000	Single	GSW5580AU-SG	GSW5580CT-SG	GSW5580TU-SG	GSW5580HB-SG
550x800	Double	GSW5580AU-DG	GSW5580CT-DG	GSW5580TU-DG	GSW5580HB-DG
FE0::1000	Single	GSW55120AU-SG	GSW55120CT-SG	GSW55120TU-SG	GSW55120HB-SG
550x1200	Double	GSW55120AU-DG	GSW55120CT-DG	GSW55120TU-DG	GSW55120HB-DG
FE0::4.400	Single	GSW55140AU-SG	GSW55140CT-SG	GSW55140TU-SG	GSW55140HB-SG
550x1400	Double	GSW55140AU-DG	GSW55140CT-DG	GSW55140TU-DG	GSW55140HB-DG
FE0::1000	Single	GSW55180AU-SG	GSW55180CT-SG	GSW55180TU-SG	GSW55180HB-SG
550x1800	Double	GSW55180AU-DG	GSW55180CT-DG	GSW55180TU-DG	GSW55180HB-DG
C00, C00	Single	GSW600AU-SG	GSW600CT-SG	GSW600TU-SG	GSW600HB-SG
600x600	Double	GSW600AU-DG	GSW600CT-DG	GSW600TU-DG	GSW600HB-DG
600v000	Single	GSW6090AU-SG	GSW6090CT-SG	GSW6090TU-SG	GSW6090HB-SG
600x900	Double	GSW6090AU-DG	GSW6090CT-DG	GSW6090TU-DG	GSW6090HB-DG
600v1000	Single	GSW60120AU-SG	GSW60120CT-SG	GSW60120TU-SG	GSW60120HB-SG
600x1200	Double	GSW60120AU-DG	GSW60120CT-DG	GSW60120TU-DG	GSW60120HB-DG
000,000	Single	GSW800AU-SG	GSW800CT-SG	GSW800TU-SG	GSW800HB-SG
800x800	Double	GSW800AU-DG	GSW800CT-DG	GSW800TU-DG	GSW800HB-DG
000:4000	Single	GSW80100AU-SG	GSW80100CT-SG	GSW80100TU-SG	GSW80100HB-SG
800x1000	Double	GSW80100AU-DG	GSW80100CT-DG	GSW80100TU-DG	GSW80100HB-DG





Glass Skylights - Opening (GSW)

Common Sizes SG: Ships in up to 10 Business Days | DG: Ships in 15–20 Business Days (+2 Days for Powder Coating)

		Metal Deck Roof	Corrugated Roof	Tile Roof	Hob Mount (Concrete)
Size: Nominal (Throat)	Glazing	Order Code	Order Code	Order Code	Order Code
800x1100	Single	GSW80110AU-SG	GSW80110CT-SG	GSW80110TU-SG	GSW80110HB-SG
	Double	GSW80110AU-DG	GSW80110CT-DG	GSW80110TU-DG	GSW80110HB-DG
800x1200	Single	GSW80120AU-SG	GSW80120CT-SG	GSW80120TU-SG	GSW80120HB-SG
	Double	GSW80120AU-DG	GSW80120CT-DG	GSW80120TU-DG	GSW80120HB-DG
800x1400	Single	GSW80140AU-SG	GSW80140CT-SG	GSW80140TU-SG	GSW80140HB-SG
	Double	GSW80140AU-DG	GSW80140CT-DG	GSW80140TU-DG	GSW80140HB-DG
900X900	Single	GSW900AU-SG	GSW900CT-SG	GSW900TU-SG	GSW900HB-SG
	Double	GSW900AU-DG	GSW900CT-DG	GSW900TU-DG	GSW900HB-DG
1000x1000	Single	GSW1000AU-SG	GSW1000CT-SG	GSW1000TU-SG	GSW1000HB-SG
	Double	GSW1000AU-DG	GSW1000CT-DG	GSW1000TU-DG	GSW1000HB-DG
1100x1100	Single	GSW1100AU-SG	GSW1100CT-SG	GSW1100TU-SG	GSW1100HB-SG
	Double	GSW1100AU-DG	GSW1100CT-DG	GSW1100TU-DG	GSW1100HB-DG
1200x1200	Single	GSW1200AU-SG	GSW1200CT-SG	GSW1200TU-SG	GSW1200HB-SG
	Double	GSW1200AU-DG	GSW1200CT-DG	GSW1200TU-DG	GSW1200HB-DG

In addition to your chosen GSW code you must also seperately purchase one of the two winder options from below:







Accessory	Code
GSW Easy Wind Within Reach Crank Handle	GSW02

Roof Type - Flashing Profile


AU (Apron Upstand) - Metal Deck




CT (Corrugated Tray) - Corrugated



TU (Tile Upstand) - Tile



HB (Hob) - Hob Mount (Concrete)







Powder Coating



For all other Stock & Common Skylights & Flashings

Powder Coating adds 2 Business Days to Shipping Times Codes aren't applicable for Special P.O.A. Sizes, contact us with an RFQ

Colour	Code	Colour	Code
Classic Cream	P/C CLASSIC CREAM	Gully	P/C GULLY
Paperbark	P/C PAPERBARK	Mangrove	P/C MANGROVE
Pale Eucalypt	P/C PALE EUCALYPT	Wallaby	P/C WALLABY
Woodland Grey	P/C WOODLAND GREY	Jasper	P/C JASPER
Deep Ocean	P/C DEEP OCEAN	Basalt	P/C BASALT
Cottage Green	P/C COTTAGE GREEN	Ironstone	P/C IRONSTONE
Manor Red	P/C MANOR RED	Terrain	P/C TERRAIN
Night Sky	P/C NIGHT SKY	Monument	P/C MONUMENT
Surfmist	P/C SURFMIST	Monument Matt	P/C MONUMENT MATT
Evening Haze	P/C EVENING HAZE	Dover White	P/C DOVER WHITE
Shale Grey	P/C SHALE GREY	Southerly	P/C SOUTHERLY
Dune	P/C DUNE	Bluegum	P/C BLUEGUM
Cove	P/C COVE	Pearl White	P/C PEARL WHITE
Windspray	P/C WINDSPRAY		



1300 SKYSPAN (759 772)

sales@skyspan.com.au skyspan.com.au